

# INDEX MAPS.

## T. 35N, R. 1W. 2<sup>nd</sup> Mer.

Meanders 324

	298		298		298		297		297		296	
301	6	324	5	318	4	314	3	310	2	305	1	296
	<del>324</del>		<del>323</del>		<del>318</del>		<del>314</del>		<del>310</del>		<del>305</del>	
300	7	323	8	318	9	314	10	309	11	304	12	296
	<del>323</del>		<del>322</del>		<del>317</del>		<del>313</del>		<del>309</del>		<del>304</del>	
300	18	322	17	317	16	313	15	308	14	304	13	295
	<del>321</del>		<del>321</del>		<del>316</del>		<del>312</del>		<del>308</del>		<del>303</del>	
300	19	321	20	316	21	312	22	308	23	303	24	295
	<del>320</del>		<del>320</del>		<del>316</del>		<del>311</del>		<del>307</del>		<del>302</del>	
299	30	319	29	315	28	311	27	307	26	302	25	295
	<del>319</del>		<del>319</del>		<del>315</del>		<del>311</del>		<del>306</del>		<del>301</del>	
299	31	319	32	315	33	310	34	306	35	301	36	294
	<del>293</del>		<del>293</del>		<del>293</del>		<del>292</del>		<del>292</del>		<del>292</del>	

## T. 36N, R. 1W. 2<sup>nd</sup> Mer.

Meanders 365

	337		336		336		335		335		334	
339	6	340	5	344	4	349	3	354	2	359	1	334
	<del>340</del>		<del>345</del>		<del>350</del>		<del>355</del>		<del>359</del>		<del>359</del>	
339	7	340	8	345	9	350	10	355	11	360	12	334
	<del>341</del>		<del>346</del>		<del>351</del>		<del>356</del>		<del>360</del>		<del>361-364</del>	
338	18	341	17	346	16	351	15	356	14	361	13	333
	<del>342</del>		<del>347</del>		<del>352</del>		<del>357</del>		<del>357-364</del>		<del>364</del>	
338	19	342	20	347	21	352	22	357	23	363	24	333
	<del>343</del>		<del>348</del>		<del>353</del>		<del>357</del>		<del>357-363</del>		<del>363</del>	
337	30	343	29	348	28	353	27	357	26	362	25	333
	<del>343</del>		<del>348</del>		<del>353</del>		<del>358</del>		<del>358-362</del>		<del>362</del>	
337	31	344	32	349	33	354	34	358	35	361	36	332
	<del>332</del>		<del>331</del>		<del>331</del>		<del>330</del>		<del>330</del>		<del>330</del>	

The figures on the lines refer to the page.

# Township 35 North Range 1 West 2<sup>nd</sup> Mer.

State of Indiana,  
C. L. South Boundary, (T. 5. 35 E.)

West On the S. side of sections 36

3.40 Leave the Tanner's swamp

5.50 To an Indiana trail course N. E.,

20.94 To a Y. Oak 14 in. dia. in the line,

30.00 Enter a marsh

40.00 Set the gr. sec. cor. post from which

a W. Oak 13 in. dia. bears N 87° W 71 Ch. dist

& a Do. 12 " " " N 37° E 64 1 " "

40.80 Leave the marsh

57.00 Enter a do.

76.00 Leave the do.

80.00 Set a post cor. to Secs. 35 & 36

a Y. Oak 16 in. dia. bears N 16° W 40 Ch. dist.

& a Do. 18 " " " N 52° E 66 1 " "

Land rolling barrens & thin soil W. Oak

West On the South side of sec. 35,

27.40 To a Y. Oak 15 in. dia. in the line,

34.77 " " W. Oak 16 " " " " "

40.00 Set the gr. sec. cor. post from which

a Y. Oak 20 in. dia. bears N 37° W 64 Ch.

& a W. Oak 16 " " " N 70° E 115 "

70.62 To a W. Oak 15 " " in the line,

74.42 " " Do. 17 " " " " "

80.00 Set a post cor. to Secs. 34 & 35 from wh.

a W. Oak 16 in. dia. bears N 15° E 189 Ch.

& a Do. 18 " " " N 53° W 28 " dist.

Land &c. similar to last mile,

West On the S. side of sec. 34

31.15 To a W. Oak 13 in. dia. in the line,



T. 35. N. R. 1 W. 2<sup>nd</sup> New, Ind.<sup>a</sup>

6. Le,  
40.00 Set the gr. sec. cor. post from which  
a W. Oak 16 in. dia. bears N 87 $\frac{1}{2}$  W 48 lks. dist,  
& a Do. 20 " " " N 32 E 41 " "
- 46.00 Enter a marsh
- 64.50 To a brook 30 lks. wide cr. NW & rising
- 71.00 Enter willow brush
- 80.00 Set a post cor. to sec. 33 & 34 from wh,  
a Willow 6 in. dia. bears N 16 W 168 lks. dist,  
& a Do. 5 " " " N 75 E 45 " "
- E. of marsh land not very wet  
& the land E. of do. similar to last mile,

- West On the S. side of sec. 33,  
40.00 Set the gr. sec. cor. post from which  
a Willow 6 in. dia. bears N 57 E 105 lks,  
& a Do. 5 " " " N 83 W 94 " dist,
- 65.03 To a Willow 8 " " in the line,
- 80.00 Set a post cor. to sec. 32 & 33 from wh,  
no bearings - But raised a mound

- West On the S. side of sec 32  
40.00 Set gr. sec. cor. post in marsh  
where raised a mound
- 80.00 Set a post cor. to sec. 31 & 32 from wh,  
where raised a mound in water,  
The above 2 miles through a marsh  
some willows scattered through it. W $\frac{1}{2}$   
a flag marsh. water from 1 to 3 ft. deep  
Some current W, but where it comes from  
or goes to I don't know,

- West On the South side of Sec. 31  
40.00 Set the gr. sec. cor. in marsh

T. 35 N. R. 1 W. 2<sup>nd</sup> Mer Ind<sup>u</sup>

61.50

water too deep to raise a mound  
To the W. boundy, at 5 m. 77.04 M., in water  
2 ft. deep, where raised <sup>a mound</sup> among the muskrat  
houses. a W. Oak 13 in. dia., bears N 1/2 W 36.22 M., disk,  
Land, a flag marsh, shaky, & water over it  
from 1 to 3 ft. deep, stretches out S. W. beyond  
the extent of vision, a strong indication of the  
vicinity of Hankakee. (Mer. 57.35')

Observed. for Variation of needle & found  
it to be, 57.35'E. about 1/2 mile N.E. of town cor,  
Dec. 13<sup>th</sup> 1833. Surveyed by Clark & Sibley Sep. sur.

## East Boundary, (Var. 57.40'E.)

North On the E. side of sec. 36,

a Tamarac 8 in. dia., bears S 51 W 72 M., disk,

&amp; a Do. 3 " " " West 76 " "

61.50 Leave Tam. swamp

9.30 To an Indian trail cor. E,

15.54 " a B. Oak 6 in. dia., in the line,

19.00 Enter a prairie.

33.00 Leave the Do,

33.40 To a B. Oak 18 in. dia., in the line,

40.00 Set the gr. sec., cor. post from which

a W. Oak 20 in. dia., bears N 10 W 81 M., dia.,

&amp; a Do. 12 " " " N 8 W 10 " "

43.22 To an Indian trail cor. NW,

61.12 To a B. Oak 24 in. dia., in the line,

75.65 " " Do. 17 " " " " "

80.00 Set a post cor. to sec. 35 &amp; 36 from wh,

a B. Oak 22 in. dia., bears S 21 W 46 M., disk,

&amp; a W. Oak 12 " " " N 30 W 14 " "

Land level & sec. rate & the timber is  
Oak, open woods, &

T. 35 N. R. 1 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

C. L.

North

On the E. side of sec. 25

9.15 To a W. Oak 24 in. dia. in the live,

29.00 Enter a wet prairie

40.00 Set the gr. sec. cor. post in prairie  
where raised a mound

49.00 Leave the prairie

54.94 To a W. Oak 30 in. dia. in the live,

80.00 Set a post corner to sec. 24 &amp; 25

a W. Oak 15 in. dia. bears S 33° W 90 ft. N.

&amp; a Do. 7 " " " N 6½° W 68 " dia.

Land is same as before —

North

On the E. side of section 24

7.38 To a B. Oak 30 in. dia. in the live,

33.00 " pond, being too deep to wade, offset to

40.00 Dr. sec. cor. in the pond

60.00 Over pond. (Offset W. 7 chs.)

63.07 To a Jack Oak 27 in. dia. in the live,

80.00 Set a post cor. to sec. 13 &amp; 24 from which

a W. Oak 20 in. dia. bears S 15° W 167 ft. N.

&amp; a Do. 24 " " " West 100 " "

in edge of prairie, Land broken &amp; the

timber is Oak &amp; no N, S.

North

On the E. side of sec. 13,

9.26 To a bend of stream fr. S. E.,

9.76 Leave " " Do. on N. E.,

18.22 To same stream 30 ft. wide N. W. cor.

32.00 Leave the wet prairie a W. Oak 15 in. dia.

40.00 Set the gr. sec. cor. post from which

a Hickory 8 in. dia. bears S 24° E W 81 ft. N.

&amp; a B. Oak 20 " " " N 70° W 50 " dia.

57.03 To a W. Oak 17 " " in the live,

T. 35. N. R. 1 W. 3<sup>rd</sup> New, Ind.<sup>a</sup>

E. L.

- 59.00 To a stream 10 lks. wide cr. N.W.  
 63.00 Enter a Lamerac swamp  
 80.00 Set a post cor. to sec. 12 & 13 from wh.  
 a Lamerac 3 in. dia. bears S 40° W 7 lks. dist.  
 & a Do. 2 " " " N 52° W 16 " "  
 Land Swampy

North On the E. side of Sec. 12

- 16.00 Leave the Lamerac swamp  
 40.00 To a Maple 30 in. dia. for 1/4 sec. entered  
 53.25 Enter a prairie  
 80.00 Set a post cor. to sec. 14 & 12 from wh.  
 a W. Oak 18 in. dia. bears S 5° W 252 lks. dist.  
 & a Do. 24 " " " N 30° W 200 " "  
 3<sup>rd</sup> rate sand ridges Oak timber, & prairie

North On the E. side of sec. 1,

- 1.50 Leave prairie  
 11.92 To a W. Oak 42 in. dia. in the line,  
 13.50 Enter an S. Prairie  
 40.00 Set the gr. sec. cor. post from which  
 a Hickory 5 in. dia. bears N 65° W 124 lks. dist.  
 & a Do. 5 " " " N 69° W 112 " "  
 40.50 Leave the prairie  
 49.44 To a B. Oak 20 in. dia. in the line,  
 72.66 Offset pond 8.50 lks. West,  
 80.00 Corner to Townships 35 & 36 N. R. 1 W. in pond  
 water too deep to set post

Land &c. is same as on last mile,  
 11<sup>th</sup> May 1829. Surveyed by David Willis. D. D.

North Boundary, (Var. 5<sup>th</sup> 35° E.)

West On the S. side of sec. 36 &amp; 36 N. R. 1 W

6.00 Leave the marsh



T. 35 N. R. 1 W. 2<sup>nd</sup> Mer. Ind.

6.00	
14.00	Enter a marsh
32.00	Leave the Do,
36.78	To a Y. Oak 24 in. dia. in the line,
40.00	Set the q. sec. cor. post from which a W. Oak 13 in. dia. bears N 38 $\frac{1}{2}$ E 28 $\frac{1}{2}$ M. dist, + a Y. Oak 17 " " " N 23 $\frac{1}{2}$ W 36 " " + a W. Oak 15 " " in the line,
52.00	To Pine Creek 100 lbs wide cor. N. W. East marsh
57.00	" " Do. 100 " " " fr. NE to NW
67.00	" " Do. 100 " " " fr. NW to NE
80.00	Set a post cor. to sec. 35 & 36 from which a W. Oak 15 in. dia. bears N 57 $\frac{1}{2}$ W 292 M, + a Do. 18 " " " N 77 $\frac{1}{2}$ E 4.33 " dist, Up land rolling barrens thin soil, Oak &c,

West	On the S. side of sec. 35, T. 36 N. R. 1 W
21.50	To a point of dry land from S.
22.74	To a Y. Oak 18 in. dia. in the line,
24.50	Entered a marsh again,
40.00	Set the q. sec. cor. post from which no bearing. Raised a mound
66.80	To the left bank of Kankakee river, set post & Raised a mound for cor.
80.00	Corner of secs. 34 & 35 in River, Land mostly a shaking marsh

West	On the S. side of sec. 34 T. 36 N. R. 1 W
40.00	To sec. cor. in Kankakee river,
80.00	Corner of sec. 33 & 34 in Do, corner unacceptable. This mile following the river down stream, the clear part of the channel winding about, but no part of the line is acceptable.



T. 35 N. R. 1 W. 2<sup>nd</sup> Mer, Ind<sup>a</sup>,Co. L,  
West

- On the S. side of Sec. 33, T. 36 N. R. 1 W
- 42.50 Over the river & set a post cor. to on the Right bank where raised a mound cor. of River S. W. probably "Mud Lake",
- 65.00 Leave the marsh on wet prairie
- 68.00 To a House 340 yds. S. of the line,
- 80.00 Set a post cor. to sec 32 & 33 from which a W. Oak 16 in. dia., bears N 89 $\frac{1}{2}$ ° W 35 yds, & a Do. 12 " " " N 53 $\frac{1}{2}$ ° E 80 " dist, Land from the river to timbered level & wet prairie - might be cultivated, & level bearing good soil & Oak & Hickory timber

West

- On the S. side of Sec. 33, T. 36 N. R. 1 W
- 1.50 To the state Road from La Porte to Yellow Springs
- 13.22 To a W. Oak 15 in. dia., in line. (cor. N. S. E.,
- 40.00 Set the Dr. Sec. cor. post from which a Pin Oak 10 in. dia., bears N 77° E 73 yds. dist, & a Do. 17 " " " N 30 $\frac{1}{2}$ ° W 119 " ,
- 44.00 Enter a marsh
- 80.00 Set a post cor. to sec 31 & 32. in marsh & Lamerac 12 in. dia., bears N 37 $\frac{1}{2}$ ° W 493 yds, & a Do. 12 " " " West 11.87 dist, E. of marsh land level bearing good soil & the timber is W. G. Oak & Hickory, &c,

West

- On the S. side of sec. 31, T. 36 N. R. 1 W
- 11.00 To a Lamerac swamp
- 11.87 To a Lamerac 12 in. dia., in the line,
- 17.18 Enter a pond
- 28.00 Over the Do.,
- 29.00 Enter a marsh
- 40.00 Set a gr. leg. cor. post from which

T. 35 N. R. 1 W. 3<sup>rd</sup> New. Ind.<sup>a</sup>

6. 50 a Lamer 10 in. dia. heavy N 89 $\frac{1}{2}$  E 11.25 lbs.  
 & Raised a Mound  
 74.30 To the W. boundary at Corn. 00.30 lbs. & set post  
 corner to Town 35 & 36 N R. 1 & 2 W. in marsh  
 where raised Mound for corner,  
 This mile is all marsh & swamp  
 (Var. 5 $^{\circ}$  35' E.) December 17<sup>th</sup> 1833.  
 Surveyed by Clark Sibley, D. Sur.

West Boundary (Var. 5 $^{\circ}$  35' E.)

North On the E. side of Sec. 36 & 35 N R. 2 W  
 30.00 Leave marsh timber inland low,  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 15 in. dia. heavy N 28 $\frac{1}{2}$  W 108 lbs.  
 & a P. Oak 18 " " " S 63 W 260 lbs.  
 45.00 Entered a marsh again,  
 80.00 Set a post cor. to sec. 25 & 36 in water  
 where raised a mound  
 Land is mostly marsh, part covered with  
 water & some flags & muskrat houses

North On the E. side of sec. 25 & 35 N R. 2 W.  
 33.00 A current of water sets West 25 lbs. wide  
 40.00 Set gr. sec. cor. post in marsh  
 where raised a mound  
 50.50 To a heavy current of water 75 lbs. wide sets W  
 71.00 Leave marsh on an island  
 78.13 To a W. Oak 12 in. dia. in the line,  
 80.00 Set a post cor. to sec. 24 & 35 from wh.  
 a W. Oak 18 in. dia. heavy S 34 $\frac{1}{2}$  W 39 lbs. dia.  
 & a P. 18 " " " N 75 W 29 " "  
 Land is well timbered on island which  
 is but small part Oak & some Hickory, (Marsh!)

T. 35 N. R. 17 W. 2<sup>nd</sup> Mer. (Ind. Co.)

6.25  
 North On the E. side of Sec, 34 T. 35 N. R. 2 W  
 10.62 To a W Oak 10 in dia. in the line,  
 15.50 Enter a marsh  
 40.00 Set the gr. sec. cor. in the marsh  
 where raised a mound for cor.  
 80.00 Set a post cor. to sec. 13 & 34 from which  
 a Pin Oak 15 in dia. bears N 79 3/4 W 393 ft.,  
 & a Do. 24 " " " S 70 3/4 W 258 " dit  
 Land mark &c. same as last mile,

---

North On the E. side of Sec. 13 T. 35 N. R. 2 W  
 25.00 Leave the marsh  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 16 in dia. bears N 34 1/2 W 110 ft. dit  
 & a Do. 24 " " " S 33 1/2 W 181 " "  
 50.50 Enter a marsh  
 73.00 To Hankaker river & set a post  
 where raised a mound  
 80.00 Corner for Secs, 12 & 13 in River, inclosed  
 marsh not very wet timbered land well  
 covered Oak & Hickory Dec. 14. (mowed)

---

North On the E. side of Sec. 12. T. 35 N. R. 2 W  
 3.46 Over the River course S. W,  
 & Enter a marsh again & set post  
 where raised a mound,  
 40.00 Set the 2<sup>nd</sup> sec. cor. post in marsh  
 where raised a mound  
 80.00 Set the post for corner to sec. 14 & 13 in marsh  
 where raised a mound  
 This mile is all marsh & mostly covered  
 with water,

---

T. 35 N. R. 1 W. 2<sup>nd</sup>. New, Ind<sup>a</sup>,

6.15

North On the E. side of sec. 12 35 N 2 W

40.00 Set the gr. sec, cor. post in marsh

where raised a mound

80.30 To the Town. corner,

Var. 5<sup>th</sup> 35' E, Dec. 16<sup>th</sup> 1833,

Surveyed by

Clark & Sibley, Dep. Sur.

### Subdivisions.

North Between sections 35 & 36,

16.00 To a Y. Oak 18 in. dia, in the line,

32.00 Leave timber & Enter marsh S. E & N. W,

40.00 Set the gr. sec, cor. post in marsh

& Raise a small sod mound

75.00 Leave marsh & enter timber

80.00 Set a post cor. to sec, 25.26.35 & 36

a W. Oak 15 in. dia, bears S 82 W 25 lks. dist,

& a Hickory 5 " " " N 65 E 28 " "

Land 3 lks. South Dry & sandy & Soil 3 rate  
North, nearly all marsh & third rate

East On Handover between sections 35 & 36

45.00 To a Road from Yellow river to LaPorte N W

80.20 To the E. line of sec, 45 lks. N. of post,

Land rolling with small mounds thin

sandy soil. & the timber is G & W. Oak &

Hickory, Mud. Lth, Huckleberry & red root,

West Correct the line between sec, 35 & 36

40.10 Set the gr. sec, cor. post from which

a W. Oak 18 in. dia, bears S 45 E 35 lks. dist,

& a Y. Oak 20 " " " N 47 W 72 " "

52.27 To a W. Oak 15 " " in the line,



T. 35 N. R. 1 W. 3<sup>rd</sup> Mer, Ind.

6.25 To a W. Oak 12 in. dia. in the line,  
 73.80 To the section corner,

## North Between sections 25 &amp; 26

1.52 To a W. Oak 13 in. dia. in the line,  
 31.23 To a W. Oak 6 " " " "  
 40.00 Set the gr. sec. cor. post from which  
     a Hickory 5 in. dia. bears N 21 W 3<sup>rd</sup> M.,  
     & a Hickory 7 " " " S 39 W 22 " dia.,  
 57.50 To the state road from Yellow river to LaPorte  
 68.16 To a W. Oak 15 in. dia. in the line,  
 75.04 To a G. Oak 24 " " " "  
 80.00 Set a post cor. to sec. 23, 24, 25 & 26  
     " Double W. Oak 32 in. dia. bears N 4 W 7<sup>th</sup> M. dia., &  
     " W. Oak 14 in. dia. bears N 4 W 5 " "  
 Land gently rolling & thin sandy soil 3<sup>rd</sup> rate  
 & the timber is G. W. Oak & Hickory N.E. corner,

## East On Random between sec. 24 &amp; 25

55.15 To a stream branch of Pine creek 15 M. wide  
     enrich sluggish & pure water,  
 80.27 To the E. line of sec. 8 M. N. of post,  
 Land & timber is same as on last mile

## N 89.22 W Correct the line between sec. 24 &amp; 25

11.89 To a W. Oak 13 in. dia. in the line,  
 21.95 " " Do. 18 " " " "  
 40.13½ Set the gr. sec. cor. post from which  
     " W. Oak 22 in. dia. bears N 9 W 22 M. dia.,  
     & a G. Oak 22 " " " S 19 E 32 " "  
 41.89 To a G. Oak 12 " " in the line,  
 57.42 " " W. Oak 15 " " " "  
 80.27 To the section corner,



T. 35 N. R. 1 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

6. 26

North Between sections 23 &amp; 24

14.92 To a G. Oak 18 in. dia. in the line,

37.33 " " W. Oak 15 " " " "

40.00 Set the gr. sec., cor. post from which  
a G. Oak 28 in. dia. bears S 74° W 57 1/2 lbs. dist.,  
& a W. Oak 22 " " " N 61° E 70 " "49.32 To a stream 15 lbs. wide cu. NW. shallow beach  
pure water & branch of Pine creek

57.00 To Red Oak, 22 in. dia. in the line,

59.61 " " B. Oak 10 " " " "

61.49 " " W Oak 12 " " " "

63.14 " " G. Oak 10 " " " "

77.08 " " Do. 18 " " " "

80.00 Set a post cor. to Aug. 13. 14. 23 &amp; 24

a W. Oak 8 in. dia. bears N 80° W 1/2 lbs. dist.,

&amp; a G. Oak 36 " " " S 35° E 50 " "

Land rolling thin sandy soil & third rate  
& the timber is G. W. Oak & Hickory & 13 Oak & 4

East On Random between sections 13 &amp; 24

80.24 To the E. line of sec., at the cor. of post  
Land rolling & small marshes & ponds 3. rate  
& the timber is W. G. Oak & Hickory & c. N. G. bushes &c.

West Correct the line between Aug. 13 &amp; 24 (N 89° 33' W)

13.85 To a W. Oak 20 in. dia. in the line,

18.36 To a G. Oak 18 " " " "

40.12 Set the gr. sec., cor. post from which  
a W. Oak 22 in. dia. bears S 33° W 85 lbs. dist.,  
& a W. Oak 18 " " " S 42° E 117 " "

41.80 To a Do. 22 " " in the line,

80.24 " the sections corner, Oct 1<sup>st</sup> 1834

T. 35 N. R. 1 W. 2<sup>nd</sup> New, Ind. a

6. 26  
 North Between sections 13 & 14  
 20.44 To a Y. Oak 16 in. dia. in the line,  
 32.37 " " W. Oak 18 " " " "  
 38.00 " " Do. 24 " " " " "  
 40.00 Set the gr. res. cor. post in edge of marsh  
 a W. Oak 24 in. dia. bears S 197 W 114 in. dia  
 & a W. Oak 22 " " " S 20 W 205 "  
 75.75 To a stream 12 ft. wide cor. NW, brick current  
 clear & not very deep  
 79.50 To Pine creek at intersection of 2 branches  
 50 ft. wide cor. NE, brick current  
 80.00 Set a post cor. to res. 11. 12. 13 & 14 in stream  
 water 2 ft. deep a 20 ft. 18 North 70 ft. dia,  
 no other tree near. S of land dry  
 thin soil 3: rate W. & Y. Oak M. G. Huckleberry  
 N of land is all marsh 3: rate

- 
- East On Random between sections 12 & 13  
 1.90 Leave the creek & marsh  
 79.00 Enter a Lameran swamp cor. NW, & SE,  
 80.20 To the C. line of res. 70 ft. N. of post  
 Land is mostly 3: rate quality & the timber  
 is W. & Y. Oak. Bl. Gum Hickory N. S. Huckleberry

- 
- West Correct the line between res. 12 & 13 (189.30' W.)  
 40.09 To a Y. Oak 6 in. dia. in the line,  
 40.10 Set the gr. res. cor. post from which  
 a W. Oak 15 in. dia. bears S 83 E 35 ft. dia  
 a Y. Oak 30 " " " N 42 E W 79 " "  
 43.35 To a Y. Oak 14 " " in the line,  
 80.20 " the sections corner,

- 
- North Between sections 11 & 12

T. 35 N. R. 1 W. 2<sup>nd</sup> Mer. Ind.

- 61.50 Leave the mark & enter scattering timber,  
 8.32 To a W. Oak 10 in. dia. in the line,  
 31.22 " " G. Oak 28 " " " "  
 33.00 Enter a mark cr. SE & NW,  
 33.20 To Pine creek 45 lks. wide cr. NW, deep, slow,  
 40.00 Set gr. sec. cor. post in water  
 73.23 To Pine creek 40 lks. wide, cr. E. deep sluggish  
 impassible, offset E. 4 lks, N 6.77, W. 3.50  
 80.00 Corner, inaccessible, cr. offset, 1.2.11812  
 in creek, deep water. Land 33 chs. S. dry-  
 third rate, & the timber is G. Oak W Oak the  
 remainder. mark & mostly under water,

- East On Random between sections 1 & 12  
 14.00 Leave the mark & enter timbered cr. NW,  
 50.00 Enter a Dr. cr. NW  
 80.12 To the E. line of sec. 81 lks. N. of post  
 Land is mostly 3<sup>rd</sup> rate marsh. some ~  
 W. Oak & G. Oak timber on dry part,

- West Correct the line between sec. 1 & 12 (N 89.25° W.)  
 40.00 Set the gr. sec. cor. post from which  
 a G. Oak 18 in. dia. bears S 85° 22' 5" W. 107 ft.,  
 & a W. Oak 12 " " " S 57° 12' W 107 " "  
 80.12 To the sections corner,

- North Between sections 1 & 2  
 37.25 Leave the mark & enter timbered land  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 18 in. dia. bears S 78° 6' 9" W. 107 ft.,  
 & a W. Oak 2 " " " N 12° W 10 " "  
 64.00 Enter a mark cr. E & W,  
 79.28 To the N. boundary. 20 lks. E. of post.

T. 35 N. R. 1 W. 2<sup>nd</sup> Mer. Ind<sup>y</sup>

C. L. Set a post cor. to sec. 1 & 2 from which  
 a W Oak 20 in. dia. bears N 5 $\frac{1}{2}$  W 392 lks,  
 & a W Oak 22 " " " S 20 $\frac{1}{2}$  E W — "  
 Land mostly marsh & 3<sup>rd</sup> rate W & Y. Oak &c.

## North Between sections 34 &amp; 35

8.50 To a G. Oak 20 in. dia. in the line,  
 22.24 " " Do. 22 " " " " "  
 39.08 " " Do. 20 " " " " "  
 40.07 Set the gr. sec. cor. post from which  
 a G. Oak 18 in. dia. bears S 27 E 223 lks, dir,  
 & a W Oak 6 " " " N 44 $\frac{1}{2}$  E W 447 " "  
 52.77 To a W Oak 10 " " in the line,  
 67.73 " " G Oak 22 " " " " "  
 80.00 Set a post cor. to sec. 26, 27, 34 & 35,  
 a W Oak 18 in. dia. bears S 82 E 36 lks. dir,  
 & a W Oak 10 " " " N 14 E 48 " "  
 Land is rolling & sandy soil 3<sup>rd</sup> rate &  
 the timber is W & Y. Oak. Hickory &c. & the  
 mud, &c. is Huckleberry red road &c.

East On Random between sec. 26 & 35  
 32.50 Tented a marsh cor. N W & S. E,  
 40.87 To a stream of water 3 lks. wide on N. W. &  
 sinks into marsh sluggish & muddy.  
 43.00 Leave the marsh  
 79.80 To the E. line of sec. 6 lks. S. of post  
 Land is mostly dry & thin sandy soil  
 3<sup>rd</sup> rate & W Oak & B. Gum. N. Y. Huckleberry &c.

West Correct the line between sec. 26 & 35  
 30.05 To a G. Oak 22 in. dia. in the line,  
 39.90 Set the gr. sec. cor. post from which



T. 35 N. R. 1 W. 2<sup>nd</sup> Mer. Indiana.

Co. L. a W. Oak 18 in. dia. bears S 85 E 345 M. dist,  
 Va W. Oak 17 " " " N 88 E W 813 " "  
 57.54 To a W. Oak 20 " " in the line,  
 68.71 " " W. Oak 10 " " " "  
 79.80 " the sections corner,

## North Between sections 26 &amp; 27

6.50 Entered a marsh cr. NE, & SW  
 21.00 Leave the Do.  
 40.00 Set the gr. sur. cor. post from which  
 a W. Oak 18 in. dia. bears S 82 E W 41 M. dist,  
 Va W. Oak 20 " " " S 87 E 31 " "  
 41.82 To a Hickory 6 " " in the line,  
 45.00 Entered a marsh cr. NE & SW  
 80.00 Set a post cor. to sur. 22 23, 26 & 27  
 Rained a small mound in marsh & water  
 Land mostly marsh & 3<sup>rd</sup> rate & the timber,  
 is scattering Y & W. Oak & on S E no M. G.

## East On Random between sur. 23 &amp; 26

15.00 Leave the marsh (= cr. S, E,  
 65.00 To state road from Yellow river to Laporte  
 79.78 To the E. line of sur. 12 M. N. of post  
 Land 15 hrs. W. marsh. Remainder land  
 dry sandy soil 3<sup>rd</sup> rate. Y. & W. Oak Whiteoak,  
 Mud etc. Whortleberry & Red root,

## West Correct the line between sur. 23 &amp; 26

20.12 To a Y. Oak 22 in. dia. in the line,  
 38.90 " " W. Oak 20 " " " "  
 39.89 Set the gr. sur. cor. post from which  
 a W. Oak 18 in. dia. bears N 12 W 50 M. dist,  
 Va Do. 18 " " " S 60 W 8 " "



T. 36 N. R. 1 W. 2<sup>nd</sup> Mer. Ind?

6. S.  
 40.11 To a W. Oak 22 in. dia. in the line,  
 60.16 " " Do. 12 " " " "  
 79.78 " the sections corner,

---

North Between sections 22 & 23,  
 40.00 Set the gr. sec. cor. post in marsh & water  
 80.00 Set post cor. to sec. 14, 15, 22 & 23 -  
     a G. Oak 8 in. dia. bears N 18 E 304 lbs oak,  
     & a W. Oak 15 " " " N 4 W 390 " "  
 Land all marsh & third rate,

---

East On Random between sec. 14 & 23  
 9.00 To state road from Yellow river to Laporte S.E.,  
 13.50 Leave the Marsh  
 27.00 Enter a marsh en. S.E. & NW  
 54.25 To branch of Pine cr. 25 lbs wide en. N.E.,  
     dup & sluggish  
 58.00 Leave the marsh  
 79.96 To the E. line of sec. 14 1/2 mi. S. of post,  
 Land is mostly marsh & third rate

---

West Correct the line between sec. 14 & 23,  
 9.12 To a W. Oak 12 in. dia. in the line,  
 21.11 " " W. Oak 16 " " " "  
 39.98 Set the gr. sec. cor. post from which  
     no bearings - water too deep to raise mound  
 79.96 To the sections corner,

---

North Between sections 14 & 15  
 3.00 Leave the marsh & Enter timber  
 6.75 To Road from Yellow river to Laport en. N.W. & S.E.,  
 18.02 To a G. Oak 15 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which

T. 35 N. R. 1 W. 2<sup>nd</sup> Mer. (End?)

6. L. a W. Oak 12 in dia. bears N 66 3/4 W 44 1/2 M. dist.  
 To Do. 12 " " " N 53 W 44 3 " "  
 60.39 To a Y. Oak 28 " " in the line,  
 66.00 Entered a marsh cor. E & W,  
 80.00 Set a post cor. to Secs. 10, 11, 14 & 15 from wh.,  
 a W. Oak 30 in dia. bears S 59 W 240 M. dist. &  
 Raised a small mound in marsh 3<sup>rd</sup> rate  
 1/2 W. Oak timber about little mud etc.

- East On Random between sections 11 & 14  
 48.00 Leave the marsh & Enter timber N E & S W  
 74.00 Leave " timber & " marsh S W & N E  
 80.00 To the E. line of Sec. at post,  
 Land mostly marsh & 3<sup>rd</sup> rate & a little  
 W. & Y. Oak timber on the E 1/2 of line,

- West Correct the line between Secs. 11 & 14  
 24.14 To a W. Oak 24 in dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 12 in dia. bears S 41 1/2 E 225 M. dist.,  
 & a W. Oak 18 " " " S 5 W 171 " "  
 80.00 To the sections corner,

- North Between sections 10 & 11  
 15.25 Leaves marsh & Enter timber? land N E  
 40.00 Set the 2<sup>nd</sup> sec. cor. post from which  
 a W. Oak 18 in dia. bears N 78 1/2 E 9 M. dist.,  
 & a W. Oak 18 " " " S 78 1/2 W 10 " "  
 51.09 To a W. Oak 14 " " in the line,  
 60.05 " " W. Oak 17 " " " " "  
 69.19 " " Do. 24 " " " " "  
 80.00 Set a post cor. to Secs. 2, 3, 10 & 11  
 a W. Oak 24 in dia. bears S 76 E 17 M. dist.

T. 35 N. R. 1 W. 3<sup>d</sup>? New Ind<sup>a</sup>.

61. 50 a Hickory 7 in. dia. beam N 34 E 11 1/2 M. dist.  
Land 15 chs. S. is marsh. The other part is  
dry thin sandy soil & third rate & the  
timber is W. & G. Oak Hickory. N. G. Red Post only.

---

East On Random between sec. 2 & 11  
57. 50 Leave timber & enter a marsh cr. N 8 E 1 W.  
79. 96 To the E. line of sec. 4 M. dist. of post.  
Land 57 chs. N. W. dry rolling 3<sup>d</sup> rate & the  
timber is W. & G. Oak & the other part marsh  
mostly under water.

---

West Correct the line between sec. 2 & 11  
39. 98 Set the gr. sec. cor. post from which  
a W. Oak 22 in. dia. beam East 378 M. dist.  
79. 41 To a W. Oak 30 " " in the line,  
79. 96 " the sec. corner,

---

North Between sections 2 & 3,  
2. 56 To a G. Oak 6 in. dia. in the line,  
21. 58 " " W. Oak 18 " " " "  
21. 75 Leave the timber & enter marsh E. & W.  
40. 00 Set the gr. sec. cor. post in marsh & water  
65. 00 To margin of Mud Lake & Kankakee River  
Land all third rate. & the timber is W. & G. Oak  
On S. part. of it, (Oct 4<sup>th</sup> 1834.)

---

North Between sections 33 & 34. in marsh  
11. 68 To a stream 50 M. wide cr. W. sluggish & deep  
40. 00 Set the gr. sec. cor. post from which  
an Aspen 3 in. dia. beam N 2 W 13 1/2 M. dist.  
a Willow 6 " " " N 15 W 18 " "  
80. 00 Leave marsh & enter timber N. & W. cor. post,

T. 35 N. R. 1 W. 2<sup>nd</sup> Mer. Ind.

Co. L. Set post corner to sec, 27-28, 33 & 34  
 a Red Oak 12 in. dia, bears N 73 $\frac{1}{2}$  W 22 $\frac{1}{2}$  th. dist,  
 & a Do, 8 " " " N 44 $\frac{1}{2}$  E 60 " "  
 Land all marsh & third rate, it is small  
 willows & aspen & thick & N $\frac{1}{2}$  open marsh,

East On Random between sec, 27 & 34  
 65.00 Leave the marsh & enter timber on N.E. & W  
 79.75 To the E. line of sec, 3 th. N. of post  
 Land nearly all marsh & 3<sup>rd</sup> rate

West Correct the line between sec, 27 & 34  
 a W. Oak 18 in. dia, in the line,  
 39.87 $\frac{1}{2}$  Set the gr. sec, cor, post from which  
 a G. Oak 24 in. dia, bears West 66 $\frac{1}{2}$  th. dist,  
 no other - Being in marsh & water,  
 46.50 To a G. Oak 24 in. dia, in the line,  
 79.75 To the sections corner,

## North Between sections 27 &amp; 28,

7.76 To a W. Oak 22 in. dia, in the line,  
 32.48 " " Do, 18 " " " " "  
 39.50 Enter a marsh on S. E. & NW  
 40.00 Set the gr. sec, cor, post from which  
 a G. Oak 4 in. dia, bears S 18 $\frac{1}{2}$  W 135 th. dist,  
 no other near,  
 80.00 Set a post in marsh & water no mound  
 cor. to sec, 21, 22, 27 & 28, Land it wet  
 & thick heavy W. Oak & the timber on N $\frac{1}{2}$   
 is marsh & all 3<sup>rd</sup> rate

East On Random between sections 22 & 29  
 79.80 To the E. line of sec, at post,



T. 35 N. R. 1 W. 2.<sup>nd</sup> New, Ind.<sup>a</sup>

C. L. Land all mark & third rate,

West Correct the line between Sec. 22 & 27  
39.90 Set the gr. sec., cor. post in mound  
water shallow, mound small,  
79.80 To the sections corner,

North Between sections 21 & 22,

8.50 Leave the mark & enter timber NE & SW  
34.69 To a Red Oak 10 in. dia. in the line,  
40.00 Set the gr. sec., cor. post from which  
a G. Oak 6 in. dia. bears S 77 $\frac{1}{2}$  E 34 $\frac{1}{2}$  M. dist.,  
& a W. Oak 24 " " " N 33 E 58 " "  
53.15 To a W. Oak 20 " " in the line,  
69.75 " " Do, 22 " " " "  
79.10 " " W. Oak 18 " " " "  
80.00 Set a post cor. to Sec. 15, 16, 21 & 22  
a W. Oak 12 in. dia. bears N 37 E 23 $\frac{1}{2}$  M. dist.,  
& a W. Oak 18 " " " S 25 W 33 " "  
Land mostly dry level thin sandy soil  
& the timber is W. G. & B. Oak & Hickory

East On Random between Sec. 15 & 22

42.00 Enter a marsh cor. NE & SW  
79.70 To the E. line of sec. 9 M. S. of post,  
Land W $\frac{1}{2}$  level dry & third rate & the  
timber is W. G. Oak & Hickory. Und. 4th  
Whortleberry & Red root. E $\frac{1}{2}$  mark & 3<sup>rd</sup> rate

West Correct the line between Sec. 15 & 22  
39.85 Set the gr. sec., cor. post from which  
a W. Oak 18 in. dia. bears S 83 E 38 $\frac{1}{2}$  M. dist.,  
& a W. Oak 12 " " " S 53 E 45 " "



T. 35 N. R. 1 W. 2<sup>nd</sup> New. Ind<sup>a</sup>

61.20 To a W. Oak 12 in dia. bears S 53 E 45 M. dist,  
 53.89 To a Hickory 10 " " in the line  
 70.80 " " W. Oak 20 " " " " "  
 79.70 " the sections corner, (Oct. 5<sup>th</sup> 1834)

## North Between sections 15 &amp; 16

11.61 To a W. Oak 18 in. dia. in the line,  
 12.78 " " Do 12 " " " " "  
 40.00 Set the gr. sec. cov. post from which  
     a B. Oak 15 in. dia. bears N 30 W 26 M. dist,  
     & a W. Oak 30 " " " S 81 E 43 " "  
 45.05 To a W. Oak 18 " " in the line,  
 56.00 To a Hickory 15 " " " " "  
 66.75 " a Road from Yellow river to Leaports N.E. cor.  
 80.00 Set a post cov. to sec. 9. 10. 15 & 16 from which  
     a Hickory 6 in. dia. bears S 24 E 126 M. dist &  
     a W. Oak 15 " " " N 57 E 97 " "  
 Land level dry & 3<sup>rd</sup> rate & the timber is  
 Hickory W. & B. Oak & but little und. Gt.

## East On Random between sections 10 &amp; 15

77.00 Enter a marsh cor. N & S,  
 79.68 To the E. boundy. of sec. 25 M. S. of post  
 Land is mostly dry level & 3<sup>rd</sup> rate & the timber  
 is Oak & Hickory & N. G. Red root & Whortleberry

## West Correct the line between sections 10 &amp; 15

14.83 To a Y. Oak 9 in. dia. in the line,  
 20.15 " " W. Oak 8 " " " " "  
 23.18 " " Y. Oak 10 " " " " "  
 40.00 Set the gr. sec. cov. post from which  
     a W. Oak 14 in. dia. bears S 42 E 35 M. dist,  
     & a W. Oak 18 " " " S 56 W 30 " "

T. 35 N. R. 1 W. 2<sup>nd</sup> Mer. Ind.

C. L.  
 56.85 To a W. Oak 20 in. dia. in the line,  
 69.36 " " Do. 18 " " " "  
 79.68 To the sections corner,

North Between sections 9 & 10,  
 5.24 To a W. Oak 18 in. dia. in the line,  
 40.00 Set the gr. sur. cor. post from which  
 a W. Oak 20 in. dia. bears N 36 E 339 lks. dist,  
 & a Do. 22 " " " N 24 W 357 " "  
 80.00 Set the post cor. to sur. 3, 4, 9 & 10 from which  
 a Red Oak 20 in. dia. bears at 30 W 91 lks. dist,  
 & a Do. 5 " " " S 80 W 143 " "  
 Land all wet & third rate & the timber is W.  
 Red & Y. oak & no hard. Gt.

East On Random between sections 3 & 10  
 79.85 To the E. line of sur. 5 lks. S. of post,  
 Land most level dry & sandy & the soil is  
 3<sup>rd</sup> rate W & Y Oak & Hickory & no W. G.

West Correct the line between sections 3 & 10  
 39.92 1/2 Set the gr. sur. cor. post from which  
 a Y. Oak 16 in. dia. bears S 23 1/2 E 63 lks. dist,  
 & a W. Oak 20 " " " N 72 W 55 " "  
 46.20 To a R. Oak 10 " " in the line,  
 79.85 To the sections corner,

North Between sections 3 & 4  
 20.00 Entered a mark cor. NE & SW  
 40.00 Set the gr. sur. cor. post in marsh & water  
 for corner on Mud Lake & Raised a mound  
 80.00 Corner sur. 3 & 4 in Lake  
 Land wet & marshy some Red Oak on S. post,

T. 35 N. R. 1 W. 2<sup>nd</sup> Mer. Indiana,C. L.  
North

Between sections 32 &amp; 33.

40.00 Set the gr. sec. cor. post from which  
 a Willow 4 in. dia. bears N 5 W 12 lks. dist.  
 & a Do. 5 " " " S 85 W 12 " "

79.25 To a stream 25 lks. wide on W. shallow, slow.

80.00 Set a post cor. to sec. 28, 29, 32 & 33.  
 where raised a mound,  
 Land all marsh mostly under water 3<sup>rd</sup> rate  
 & 1/2 is willow swamp, scattering willows on N. part

East On Random between sections 28 &amp; 33

53.50 Leave the marsh & enter grove white oak timber

81.80 Enter a do. at E. boundy. of sec. 3 lks. N. of post  
 Land all wet & third rate & the timber in grove  
 is B. Oak, B. Gum, Maple & Red Oak &c -

West Correct the line between sec. 28 &amp; 33.

3.50 To a W. Oak 18 in. dia. in the line,

6.40 " " W. Oak 14 " " " " "

40.00 Set the gr. sec. cor. post from which  
 no bearings. & raised a mound

80.00 To the section corner,

North Between sections 28 &amp; 29

35.00 Leave the marsh & enter timber. S. W. & N. E.

40.00 Set the gr. sec. cor. post from which  
 a Red Oak 14 in. dia. bears S 38 1/2 E 15 lks. dist.  
 & a Red Oak 10 " " " S 84 1/2 W 15 " "

50.22 To a W. Oak 5 " " in the line,

61.79 " " Red Oak 36 " " " " "

80.00 Set a post cor. to sec. 20, 21, 28 & 29  
 a Red Oak 18 in. dia. bears S 53 1/2 E 23 1/2 lks.  
 & a Do. 20 " " " N 49 E 27 1/2 "

T. 35 N. R. 1 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

C. L. Land is all wet & third rate Red & W. Oak  
on N. part & no und. growth,

East On Random between sec. 21 & 28,  
27.00 Leave timber & enter marsh en. N.E. & S.W.  
79.97 To the E. boundy. of sec. 11 lks. S. of post,  
Land all wet & marshy 3<sup>rd</sup> rate & the  
timber is R. & W. Oak on W. part. no N. G.

West Correct the line between sec. 21 & 28,  
39.98 $\frac{1}{2}$  Set the gr. sur. cor. post from which  
a Red Oak 22 in. dia. bears S 46 $\frac{1}{2}$  W 64 3 lks,  
no other tree for bearing  
79.97 To the section corner,

North Between sections 20 & 21  
35.00 Enter a marsh en. N.E. & S.W.  
40.00 Set the gr. sur. cor. post from which  
no bearings - & no mound, deep water  
80.00 Set a post cor. to sec. 16, 17, 20 & 21.  
at entrance of marsh en. N.E. & S.W.  
a R. Oak 18 in. dia. bears S 32 $\frac{1}{2}$  W 148 lks,  
& a Do. 20 " " " N 89 W 127 " dia.  
Land all wet & marshy third rate Oak &c.

East On Random between sec. 16 & 21  
19.00 Leave marsh & enter timber N.W. & S.W.  
80.00 To the E. line of sec. 19 lks. S. of post  
past marsh. Low? level dry & 3<sup>rd</sup> rate &  
the timber is N. & G. Oak Hickory, thick  
tall & good mud & th. Red root in

West Correct the line between sec. 16 & 21



T. 35 N. R. 1 W. 2<sup>nd</sup> Mer. Ind.

Cr. L.  
 14.02 To a W. Oak 18 in. dia. in the line,  
 31.42 " " W. Oak 20 " " " "  
 40.00 Set the gr. sur. cor. post from which  
 a Y. Oak 24 in. dia. bears S 21 $\frac{1}{2}$  W 92 $\frac{1}{2}$  ft.,  
 & a W. Oak 18 " " " N 11 $\frac{1}{2}$  W 93 "  
 48.46 To a Do. 16 " " in the line,  
 52.05 " " W. Oak 18 " " " "  
 80.00 " the surveying corner,

North Between sections 16 & 17  
 40.00 Set the gr. sur. cor. post in marsh  
 & deep water. no mound  
 80.00 Set a post cor. to sec. 8, 9, 16 & 17. part marsh  
 part in marsh & the timber is Oak &  
 a Red Oak 8 in. dia. bears S 53 $\frac{1}{2}$  W 218 ft.,  
 & a Do. 10 " " " N 33 W 316 " dist,  
 Land 3<sup>rd</sup> rate marsh some Oak timber,

East On Random between sec. 9 & 16  
 27.50 Leave marsh & enter timber on N & S,  
 65.50 To state Road from Yellow river to LaPorte,  
 80.02 To the Cr. line of sec. 9 1/4 mi. S of post,  
 Land 2<sup>nd</sup> chs, marsh W part - New, dry  
 & third rate. & the timber is W & Y. Oak  
 Hickory & N. G. Whortleberry & Redroot,

West Correct the line between sec. 9 & 16  
 4.68 To a Y. Oak 24 in. dia. in the line,  
 11.16 " " W. Oak 22 " " " "  
 40.00 Set the gr. sur. cor. post from which  
 a Y. Oak 20 in. dia. bears S 49 W 50 ft.,  
 & a W. Oak 20 " " " N 3 $\frac{1}{2}$  W 34 " dist,  
 44.46 To a Hickory 18 " " in the line,

T. 35 N. R. 1 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>,

C. L.

80.02 To the section corner,

North Between sections 8 &amp; 9

8.72 To a Red Oak 12 in. dia. in the line,

40.00 Set the gr. sec. cor. post. Raised a mound

80.00 To Hawkakee river cor. S.W. &amp; set post on left bank

Raised a mound for cor. sec. 4, 5, 8 &amp; 9

Land is all marsh &amp; third rate.

East On Random between sec. 4 &amp; 9

14.00 Leave the marsh &amp; enter timber N.E. &amp; S.E.,

25.00 To Road from Yellow river to LaPort

80.03 To the E. line of sec. 20 1/2 m. S. of post,

Land marshy wet &amp; third rate &amp; the timber is scattering &amp; no mud. Lth. —

West Correct the line between sec. 4 &amp; 9

40.01 1/2 Set the gr. sec. cor. post. from which

a Red Oak 24 in. dia. bears N 82 1/2 E 650 ft.,  
no other tree near.

80.03 To the Section corner,

North Between sections 4 &amp; 5

17.25 Over Hawkakee river set post on  
Right bank where raised a mound

30.00 Leave the marsh &amp; enter timber

40.00 Set the gr. sec. cor. post. from which

a Red Oak 22 in. dia. S 70 1/2 W 70 ft. dia.,

&amp; a Do. 18 " " N. 83 E 75 " "

71.80 To the state Road from Yellow River to LaPort

80.14 To the N. boundary of Town 156 1/2 m. E. of  
post. & set post cor. to sec. 4 & 5 fr. wh.

a W. Oak 18 in. dia. bears South 46 ft. dia.

T. 35 N. R. 1 W. 2<sup>nd</sup> Mer, Ind.

C. S.

To a G. Oak 20 in. dia. bearing S 46° W 44<sup>th</sup> M.  
 Land is mostly dry & third rate & the  
 timber is R. G. & W. Oak. Hickory &c.  
 But little mud 2<sup>th</sup>. Oct 9<sup>th</sup> 1834

North Between sections 31 &amp; 32

40.00 Set the gr. sur. cor. post in water  
 & no mound

80.00 Set a post & Raise a mound  
 corner to sec. 29. 30. 31 & 32.

Land is all marsh & third rate,

East On Random between sections 29 &amp; 32

75.00 To a stream 15 M., wide cor. NW. sluggish

80.00 To the E. line of sec. 10 M. S. of post,  
 Land is all marsh & third rate

West Correct the line between sec. 29 &amp; 32

40.00 Set the gr. sur. cor. post in water no mound

80.00 To the sections corner,

West On Random between sections 30 &amp; 31

79.46 To the Range line 25 M. S. of post,

Land is all marsh & third rate

East Correct the line between sec. 30 &amp; 31

39.46 Set the gr. sur. cor. in marsh & water =

79.46 To the sections corner, (no mound)

North Between sections 29 &amp; 30

37.10 To a stream 10 M. wide cor. NW shallow sluggish

40.00 Set the 2<sup>d</sup>. sur. cor. post from which  
 a W Oak 12 in dia. bears S 81° E 180 M. dir.

T. 35 N. R. 1 W. 2<sup>nd</sup>. Mer. (Ind. 1)

6. 00 To a W. Oak 18 in. dia. bear N 10 $\frac{1}{2}$  E. 491 M.,  
 44. 00 Leave marsh & Enter timber en. NW & SE  
 52. 79 To a Red Oak 18 in. dia. in the line,  
 62. 12 " " W. Oak 22 " " " " "  
 80. 00 Set a post en. to sec. 19, 20, 29 & 30,  
 a W. Oak 24 in. dia. bear N 73 E 59 M. dia.,  
 & a W. Oak 20 " " " S 57 W 60 " "  
 Land  $\frac{1}{2}$  marsh &  $\frac{1}{2}$  wet timbered  
 land. & the timber is W. Oak. R. Oak Hickory  
 & B. Gum & but little mud, etc. Oct. 10<sup>th</sup> 1834

East On Random between sections 20 & 29  
 10. 00 Leave the timber & Enter marsh en. NW,  
 40. 00 Leave marsh & Enter timber " NE & SW  
 79. 90 To the E. line of sec. 9 M. S. of post,  
 Land is wet marshy & third rate

West Correct the line between sec. 20 & 29  
 10. 36 To a W. Oak 8 in. dia. in the line,  
 14. 36 " " W. Oak 14 " " " " "  
 39. 95 Set the q. sec. cor. post from which  
 a Red Oak 12 in. dia. bear N 73 $\frac{1}{2}$  E 216 M.,  
 & a W. Oak 6 " " " S 34 E 262 in.  
 72. 33 To a D. 20 " " in the line,  
 79. 90 " the section corner,

West On Random between sections 19 & 30  
 15. 00 Leave the timber & Enter a marsh S. E. & NW,  
 62. 00 Leave marsh N. S. W.,  
 79. 00 To the E. line of sec. 20 M. S. of post  
 Land is all wet 3<sup>rd</sup> rate 16 chs. E. post  
 timber 18 chs W. in grove W. Oak & ~  
 Bl. Gum Sassafras & ~



T. 35 N. R. 1 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

C. L.

East Correct the line between secs. 19 & 20  
 a W. Oak 18 in. dia. bears S 17 E 4 lks. dist., &  
 a W. Oak 20 " " " N 27 E 92 " "  
 39.00 Set the gp. sec. cov. post in marsh & water  
 79.00 To the sections corner,

North Between sections 19 & 20,  
 3.24 To a W. Oak 32 in. dia. in the line,  
 9.80 " " Do, 22 " " " "  
 26.00 Enter a marsh en. S. E. & NW,  
 40.00 Set the gp. sec. cov. post & Rain mound  
 80.00 Set a post in marsh & water & no mound  
 corner to Secs. 17, 18, 19 & 20. Land 26 chs,  
 wet timbered grove on S. post W & N. Oak  
 The remainder marsh, all third rate,

East On Random between sections 17 & 20  
 60.00 Leave marsh & Enter grove timbered N. E. & S. W.  
 78.50 Leave timbered & Enter marsh S. W. & N. W.  
 79.87 To the E. line of Secs. 17 lks. S. of post,  
 Land 60 chs. W. marsh & mostly deep  
 water Remained grove, wet land & 3<sup>rd</sup> rate  
 R & W. Oak & the timber in grove. —

West Correct the line between secs. 17 & 20  
 11.69 To a Red Oak 20 in. dia. in the line,  
 40.00 Set the gp. sec. cov. post in marsh & water  
 79.87 To the sections corner,

West On Random between sections 18 & 19  
 78.50 To the E. line of secs. 24 lks. S. of post  
 Land all marsh, mostly under water. 3<sup>rd</sup> rate

S. 35 N. R. 1 W. 2<sup>nd</sup> New, Ind.

C. L.

East - Correct the line between sec. 18 & 19  
 a Red Oak 16 in. dia. bears S 69° W 268 lks.  
 & a Y. Oak 8 " " " N 82° E - "

38.50 Set gr. sec. cor. post in water & no mound  
 78.50 To the section corner,

North Between sections 17 & 18,

40.00 Set the gr. sec. cor. post in marsh,  
 deep water, no bearings nor mound

60.07 Leave mark & enter scattering timber etc.

63.03 To a Red Oak 24 in. dia. in the line,

64.73 " " " Do. 16 " " " " "

80.00 Set a post cor. to sec. 7, 8, 17 & 18 fr. wh.  
 a R. Oak 16 in. dia. bears N 48° W 45 lks. dir.  
 & a Do. 18 " " " N 66° E 96 " "  
 Land 60 chs. on S. marsh & deep water,  
 20 chs. on N. in grove with land & 3<sup>rd</sup> rate -  
 & R & W. Oak, scattering M. G. Huckleberry &c.

East On Random between sections 8 & 17

77.00 Leave grove timber & enter marsh N. E. W.

79.95 To the E. line of sec. at post

Land is mostly wet & third rate & the  
 timber is W. & R. Oak. & had little whortleberry

West - Correct the line between sec. 8 & 17

39.97½ Set the gr. sec. cor. post from which  
 a W. Oak 22 in. dia. bears N 17° W 25 lks. dir.  
 & a Do. 36 " " " N 30° W 68 " "

52.14 To a W. Oak 20 " " in the line,

57.82 " " Do. 18 " " " " "

79.95 " the section corner,

T. 35 N. R. 1 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>C. L.  
West

- Between sections 7 & 8,  
 11.21 To a Red Oak 18 in. dia. in the line,  
 11.50 Leave timber & Enter marsh NE & SW  
 14.50 To Kankakee river & set post on left bank  
 where raise a mound, en. of River S.W.  
 Remainder of this marsh impassible. &  
 line runs in the river & marsh -

North

- Between sections 7 & 8,  
 6.00 Leave grove & Enter marsh NE & SW  
 27.50 To Kankakee river & set post on Left bank  
 where raised a mound  
 34.00 Over River & set post in water on Right  
 bank of do. no mound  
 40.00 Set gr. sur. cor. post in water, no mound  
 80.00 Set post cor. to sur. 5, 6, 7 & 8 in deep water  
 Land S. of River wet & marshy & at foot  
 river, deep water all the way - 3<sup>rd</sup> rate (same)

East

- On Random between sur. 5 & 8,  
 35.00 Leave marsh & Enter timber NE & SW  
 55.00 " timber & " marsh NE & SW,  
 55.50 To Kankakee river on S.W.  
 Offset N. 17.50 - E. 24.56 to E. corner, S. 17.50,  
 80.00 To the E. line of sur. 6 th. N. of post  
 Land all wet & marshy 3<sup>rd</sup> rate some Oak,

West

- Correct the line between sur. 5 & 8,  
 24.50 Set post & Raise a mound on Right bank of  
 Kankakee river.  
 40.00 Set the Dr. sec. cor. post from which  
 a Red Oak 24 in. dia. bears N 73 W 46 ths,  
 & a Do. 18 " " " N 38 E 47 "

T. 35. N. R. 1 W. 3<sup>rd</sup> Mev. Ind. a,

Co. L,

80.06 To the sections corner,

West On Random between sections 647

77.37 To the W. boundy, 150 M. S. of post,

Land all marsh & covered with deep water

East Correct the line between Sec. 647. (S88°50'E.)  
corner post & mound in water,

37.37 Set gr. sec., cor., post in deep water

77.37 To sec., cor.,

North Between sections 5 & 6,

36.20 To a Red Oak 24 in. dia. in the line,

40.00 Set the gr. sec., cor., post from which  
a Red Oak 24 in. dia. bears South 378 M.,  
Van Aspen 6 " " " S 18½ E 255. dist.,

80.52 To the N. boundy, 168 M. E. of post,  
& set post cor. to sec. 5 & 6 in water

a Lamerac 12 in. dia. bears N 21 W 528 M.,  
no other. Land is mostly under water & 3 rods

Oct. 12<sup>th</sup> 1834. — William Clark D. S. —

Meander of Mud Lake & Kankakee river

Begin at post on N. boundy, Left shore  
of lake, E. side of the Lake & river,

Comm Co. L,

S 30 W 16.00 In sec. 2

S 85.45 W 4.27 To the N. line of sec., between sec. 2 & 3

S 72 W 16.00 In sec 3

S 26 W 14.00

S 42 W 9.00

S 78 W 21.00



T. 35 N. R. 1 W. 2<sup>nd</sup> Mer. Ind<sup>y</sup>

Comm C. S.  
N 67° 10' W 34.73

Meandering continued  
To line between sec. 3 & 4

West 51.50  
S 20° W 16.00  
S 16° W 20.00  
S 35° W 18.00  
S 79° W 7.17

In sec. 4 Left bank of River  
Down stream  
at Mich state road & ferry  
To line between sec. 4 & 5

S 62° W 10.00  
S 64° W 15.00  
S 37° W 11.00  
S 60° W 8.00  
S 42° W 34.00  
S 87° W 22.80

In sec. 8

To line between sec. 7 & 8,

S 83° W 7.50  
S 73° W 10.00  
South 12.00  
S 12° E 11.95

In sec 7

To line between sec 7 & 8,

S 51° E 7.00  
S 62° W 8.00  
N 86° W 14.00  
N 55° W 7.00  
N 47° W 4.00  
S 74° W 20.00  
S 89° W 9.60

In sec. 18,

To the Range line W. boundary

S 50° W 8.00  
S 30° W 9.00

Meandering of Kankakee river, Begin at post  
in N. boundary, Right bank, thence  
in sec. 4. down stream

T. 35 N. R. 19 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

C. L. Course C. L. S 20° W 27.50 S 25° W 12.50 S 37½° W 16.28	Meanders Continued, To state road & ferry To the line between Secs. 4 & 5
S 60° W 27.00 S 18½° W 3.92	In sec. 5 To the line between secs. 5 & 8,
S 18° W 3.50 S 52° W 10.00 S 38° W 38.00 S 73½° W 33.72	In sec. 8, To line between secs. 7 & 8,
S 75° W 24.00 S 68° W 28.50 South 12.00 S 30° W 6.00 S 70° W 15.00 West 4.00 S 65¾° W 7.73	In sec. 9 To the Range line W. boundary,

General Description,  
 This township, in the aggregate does not contain any first rate land, & but little 2<sup>nd</sup> rate. Much the largest portion of it is marsh principally covered with water. The dry part of the land is generally termed barren. There are a few small groves of good Oak timber, but generally the timber is scattering short & scrubby. The soil thin & sandy & mud, etc., where there is any is Whortleberry & Redroot & nothing further worthy of note,

T. 35 N. R. 1 W. 2<sup>d</sup>. Mer. Ind.

The Kankakee river passes through the N.W. part of the Township is a deep & sluggish stream, spreading out in many places to the appearance of a Lake or large pond, & in other places contracting to a narrow channel -

---

I hereby certify that in pursuance of a contract with Micajah S. Williams Sur, General of the W. States for the states of Ohio Indiana & the Terr: of Michigan dated the 21<sup>st</sup> day of April 1834, & in strict conformity to the laws of the U.S. & the instructions of said Sur. Genl. I have surveyed & subdivided into sections Township 35 North Range 1 West 2<sup>d</sup> Mer. Indiana & I do further certify that the foregoing are the true & original field notes of the said survey & subdivision, executed as aforesaid,

Certified this 15<sup>th</sup> day of Oct: 1834  
William Black, Dep. Sur,

John Wood & 3 Chainmen  
Wm. Abraham 3 " "  
John Preston, Marker,

---

T. 35 N. R. 1 W. 2<sup>d</sup> Mer. Ind<sup>a</sup>

I certify that the foregoing transcript  
of field notes of Town 35 N. R. 1 W. 2<sup>d</sup> Mer.  
state of Indiana, has been compared  
with the original in this office & found  
to be correct.

E. D. Haines Sur. Genl.  
Surveyor General's office,  
Cincinnati, Feby. 26<sup>th</sup> 1842.